Risks within family settings for AIDS-affected children















How Bill Gates Became a Success



Sameroff, A (2009) The development of developmental science, SRCD.

Collaborative research: science to assist policy



Two longitudinal studies: 8000 children, 2600 caregivers 2005-2012

4-year longitudinal orphan resilience survey N=1025

- 2005: N=1021 (aged 10-18)
- 2009: 71.5% follow-up
- 3 provinces South Africa
- Comparing AIDS-orphaned/otherorphaned/non-orphaned children

National Young Carers Study N = 6000 children 2600 caregivers

- 97% one-year followup
- 6 randomly-selected sites, 3 provinces
- Urban/rural
- Stratified random sampling of census EAs
- 2500 matched child-caregiver pairs

4 Qualitative link studies







Risks for AIDSaffected children

Parental HIV/AIDS predicts child psychological disorder

% children with 1+ psychological disorder (clinical-level depression, anxiety, post-traumatic stress)




Parental HIV/AIDS predicts transactional sex



Cluver, L et al (2012). XIV International AIDS Conference, Washington DC.

Pulmonary tuberculosis transmission via medical care







Unitary pathways to child risk?

Parental HIV/AIDS predicts food insecurity

% children with insufficient food >2 days in past week




Parental AIDS predicts child abuse (OR1.8 CI 1.6-2.0)






Toxic stress models

Toxic stress: longitudinal effects on mental health (using CDC Adverse Childhood Experiences methods)



Cluver, Orkin, Boyes, Sherr, Yates (in progress) Analyses conducted at request of UNICEF and PEPFAR-USAID

Toxic stress: longitudinal effects on HIV-infection risks (using CDC Adverse Childhood Experiences methods)




Cluver, Orkin, Boyes, Sherr, Yates (in progress) Analyses conducted at request of UNICEF and PEPFAR-USAID

Toxic stress effects of abuse & parental AIDS on female adolescent risk of transactional sex **57%** Cluv 13% **7**% 1% **Abused & hungry Healthy family AIDS-sick parent** AIDS-sick parent, abused, hungry




Interactive/transactional pathways to child risk


Family AIDS exacerbates existing risk pathways (n=1922 girls: longitudinal moderated mediation models)





Family AIDS exacerbates existing risk pathways (n=1922 girls: longitudinal moderated mediation models)





Family AIDS exacerbates existing risk pathways (n=1922 girls: longitudinal moderated mediation models)





















Using pathways to identify interventions

How Bill Gates Became a Success



Sameroff, A (2009) The development of developmental science, SRCD.


Interrupting risk pathways can boost resilience



We can improve 89% of non-genetic mental health problems of AIDS-affected children


MODIFIABLE FACTORS 89%

- Primary caregiver sickness
- AIDS-related stigma
- Child abuse
- Access to basic necessities
- Food security
- Social welfare grant nonreceipt
- Positive parenting
- Family emotional support
- Peer social support
- Bullying victimization
- Exposure to community violence




Analyses for USAID PEPFAR (2013) Predicting long-term impacts of HIV on children. Sherr, Cluver, Pantelic, Boyes.

Child-focused grants reduce orphans' risks (predicting both prevalence and incidence)




Analyses commissioned by RIATT (2013). Cluver, Orkin, Boyes, Sherr.

Prevalence and incidence of partners +5 years older and transactional sex amongst girls by reciept of child-focused grant



2013: Some randomised controlled trials of evidence-based interventions



Thank you.









The Economic & Social Research Council

HEARD, University of KwaZulu-Natal

National Department of Social Development









The National Research Foundation

The Nuffield Foundation

The Claude Leon Foundation

The John Fell Fund

